



## Socket set 1/4" + 1/2" square drive 63-piece

Drives / accessories to DIN 3122 / 3123; sockets to DIN 3124. Internal / external square drives to DIN 3120.



## Order data

Order number	630021
Product name	Socket set 1/4" + 1/2" square drive 63-piece
Type	
GTIN	4018754261130
Pack unit quantity	1

Order number: 630021

Packaging	ABS plastic box
Length	481 mm
Width	288 mm
Height	82 mm
Number of pieces	63
Width across flats range, hexagon sockets	4-30 mm
Width across flats range, hexagon wrenches	3-14 mm

Order number: 630021

ecl@ss 10.0.1	21-04-02-05	UNSPSC 13.1	27-11-17-03
ecl@ss 9.1	21-04-02-05	UNSPSC 12.0901	27-11-17-03
ecl@ss 9.0	21-04-02-05	UNSPSC 11.2	27-11-17-03
ecl@ss 8.1	21-04-02-05	UNSPSC 9.0501	27-11-17-03
ecl@ss 8.0	21-04-02-05	UNSPSC 8.4	27-11-17-03
ecl@ss 7.1	21-04-02-05	UNSPSC 8.0	27-11-17-03
ecl@ss 7.0	21-04-02-05	UNSPSC 7.5	27-11-17-03
ecl@ss 6.2	21-04-02-05	UNSPSC 7.0901	27-11-17-03
ecl@ss 6.1	21-04-02-05	UNSPSC 7.0401	27-11-17-03
ecl@ss 6.0.1	21-04-02-05	UNSPSC 6.1101	27-11-17-03
ecl@ss 5.1	21-04-02-05	UNSPSC 6.0801	27-11-17-03
ecl@ss 5.0.1	21-04-02-05	UNSPSC 6.0315	27-11-17-03
ecl@ss 4.1	21-04-02-05	UNSPSC 6.0	27-11-17-03
ecl@ss 4.0	21-04-02-05	UNSPSC 5.0301	27-11-17-03
		UNSPSC 5.02	27-11-17-03
		UNSPSC 5.01	27-11-17-03

Order number: 630021

---

## Additional information

**Application:** For nuts / bolts gs\_profil\_6kant-einsatz M2 – M20. For hexagon socket head screws gs\_profil\_6kant M4 – M18. For external Torx<sup>®</sup> screws gs\_profil\_torx-einsatz M3 – M14. For internal Torx<sup>®</sup> screws gs\_profil\_torx M2.5 – M14.

**Material:** Chrome alloy steel, chrome-plated.

---

## Supplied with

1/4" hexagon socket set

1/2" hexagon socket set

1/4" sockets for Torx<sup>®</sup>

1/2" sockets for Torx<sup>®</sup>

1/4" hexagon bits

1/2" hexagon bits

1/4" bits for Torx<sup>®</sup>

1/2" bits for Torx<sup>®</sup>

1/4" tommy-bar

1/2" tommy-bar

1/4" spinner handle

1/4" extensions

1/2" extensions

1/4" universal joint

1/2" universal joint

1/4" ratchet

1/2" ratchet

Presented in